

लम्कीचुहा नगरपालिका नगर कार्यपालिकाको कार्यालय

भल्का,कैलाली सुदूरपश्चिम प्रदेश नेपाल

फोन नं. ०९१-४१९०१५

पयाक्स नं. ०९१-४१९०९४

इमेलः lamkicm@gmail.com वेवसाइटः lamkichuhamun.gov.np

मिति:२०८२/०५/०४

प.सं. ०८२/०८३ च.नं

बिषय:- क्याटलग विधिबाट सवारी साधन खरिद गर्न प्राबिधिक प्रस्ताब पेश गर्ने सम्बन्धि सूचना ।

यस कार्यालयलाई आवश्यक पर्ने देहाय बमोजिमको सवारी साधन क्याटलग सपिङ विधिबाट खरिद गर्ने प्रयोजन लागि सार्वजनिक खरिद ऐन, २०६३ को दफा ८ को उपदफा (१) खण्ड (क) को (८) र सार्वजनिक खरिद नियमावली, २०६४ को नियम ३१ (ख) मा भएको व्यवस्था वमोजिम र उत्पादक वा अधिकृत बिक्रेताद्वारा निर्धारित दरमा खरिद गर्ने कार्यविधि, २०७४ को नियम ९ (ख) अनुसार १५ (पन्ध) दिनभित्र लिम्कचुहा नगरपालिका नगर कार्यपालिकाको कार्यालय भल्का, कैलालीमा आवश्यक कागजात सिहत प्राविधिक प्रस्ताब सिलबन्दी गरी पेश गर्न हुन सम्बन्धित फर्महरुको (उत्पादक वा अधिकृत बिक्रेता) जानकारीको लागी यो सूचना प्रकाशित गरिएको छ । बिस्तृत स्पेसिफिकेसनको लागि यस कार्यालयको बेवसाइट www.lamkichuhamun.gov.np बाट डाउनलोड गर्न सिकने छ ।

तपशील:-

S.N.	Туре	Technical Specification	Required Quantity
٦.	Tractor with Trolly	Engine, water cooled or oil cooled with	2 (Two)

M3mm/

सुषमा महता के.सी. प्रमुख प्रशासकीय अधिकृत

Technical Specification of Tractor

S.N.	ntity:2 Units Description	Purchaser Requirements	Offered Specification
1.	Model	as average 2	
	Model / type	2024 or 2025 preferred	
	Displacement volume capacity	2800 cc. to 3500 cc.	
	Steering	Right hand driven Power Steering	
	Emission Standard	Comply with Vehicle Mass Emission Standard of Nepal.	
2.	Engine	4 cylinder, 4 stroke Diesel engine, water cooled or Oil cooled with engine output at least 49 HP at governed rpm. Torque not less than 190 Nm. Gross weight of the Tractor not less than 2400 kg.	81
3.	Air cleaner	Oil bath type or dry type	
4.	Transmission	Heavy duty with Sliding mesh / Mechanical / Partial Synchromesh	
	Gear	12 F + 3 R gear with high and low speed selector optional.	
	Clutch Wheel Drive	Dual Diaphragm Type 4WD or 2WD	
5.	Brake	Heavy duty Mechanical, self-energizing and Oil immersed Multi Disc brake	
6.	Steering	Heavy duty Power steering	
7.	PTO capacity	Minimum 45 HP	
8.	Hydraulic Lifting capacity	Minimum 2000 kg.	
9.	Instruments	Engine rpm with Direction indicators as well as hour meter, fuel gauge, A-meter, water temperature gauge and oil pressure gauge.	
10.	Features	Highly sensitive hydraulic system, Standard rear tyres Hydraulic: Draft Position and response control	

		linkage, stabilizer bar Telescopic stabilizers bar Tap off connection for Tipping trailer	
11.	Tools	A set of tools as required for general maintenance shall be supplied	
12.	Manuals	One set of workshop manual / service manual / parts catalogue	
13.	Warranty and Insurance	(a) Minimum warranty of 2000 hrs or 2 yrs(b) One Year insurance to be paid by the supplier.	
14.	Delivery	The Tractor should be delivered to Office of the Municipal Executive, Lamkichuha Municipality, Kailali.	

Technical Specification of HydraulicTrolley

Quantity: 2 Units

P.N.	Criteria	Purchaser Requirements	Offered Specification
1	. Trailer Cargo body	Length = min.10 ft., Breadth = min.6 ft. and Height= min.3 ft. (2 ft. ht. side board sheet + 1 ft. top grill)	
2	Frame structure	Heavy Channel section of 200 mm x 75 mm x 10mm.for Main frame Lower channel section and 130 mm x 60 mm. x 10 mm section for upper frame.	
3	Body materials	Cross members of channel section 80 mm x 40 mm x 5 mm over upper frame Side board M.S. sheet 10 SWG, Floor M.S sheet 8 SWG Side supporting vertical angle section 50 mm x 50 mm x5mm	
9	J. Type	Suitable for lifting loads using hydraulic system with Boom cylinder of capacity of minimum 20 ton with built hydraulic pipes, fittings and accessories	
- 5	5. Axle	Water proof 100 mm x 100 mm in section	
(Tyre size and numbers	1000.20 16ply Lug tyres	
7	7. Warranty	Minimum 1 year.	
	3. Colors and Writings	As per the municipal office	
9	Delivery	The Trolly shall be delivered to Office of the Municipal Executive, Lamkichuha Municipality, Kailali.	



Purx,

pared By Sun Mared By	ems will result in non-responsiveness of th	Approved By Sushama Mahata KC
der's Signature	Date:	
		2000
0		
9		